



National Agri-Food Biotechnology Institute

Department of Biotechnology, Government of India
C-127, Industrial Area, Phase VIII, S.A.S. Nagar,
Mohali-160071 Punjab, INDIA

Ph: 0172-4604888/2290109

Fax: 0172-4011916

NABI/ 1 (100)/ 10-11/ N-Pur - M

3rd Nov' 2010

NOTICE INVITING QUOTATION

In continuation with the NIQ (NABI/1(100)/10-11/N-Pur) dated 31st Oct 2010, Sealed Quotations are invited on behalf of Executive Director, NABI, Mohali for the **design, supply, construction and installation of following signages and glow sign boards** so as to reach latest by 8th November 2010 on or before 5.00 PM. The Quotations will be opened on the same day at 5.30 PM in the presence of tenderers, if any:

Design, supply, construction and installation of NABI Signages

Modified Tender Specifications:

- 1) Glow Sign Board to be placed on roof top of NABI Interim facility building

Qty – 1 No

Font Dimensions For letters (NABI): Height ~ 5 feet, Width ~ 11.2 inches, Depth ~ 2 inches

Material: Acrylic 3mm sheet (colour green)

Glow: 5mm LEDs (green colour) and minimum 4 number of drivers for LED (Make preferably: Neon Neon/Philips/E-star)

Support Structure: MS angle frame (50 mm X 50 mm), for letters: 3 mm ACP

Base: Concrete

- 2) Sign Board with Insignia for the side wall of entrance porch of NABI building

Qty – 1 No

Insignia Diameter: ~ 3.5 feet, three colours

Font Size: ~ 7.5 inches for letters (National Agri-Food Biotechnology Institute)

~ 6 inches for letters (Dept. of Biotechnology, Government of India)

Font Depth: ~ 1.5 inches

Material: Acrylic 3mm sheet (colour black), should be tightly fixed on the wall.

- 3) Sign Board showing direction towards NABI

Qty – 1 No

Dimension of board: Length ~ 3 feet, height ~ 2.5 feet

Material: Reflective retro-film (green background and white letters)



National Agri-Food Biotechnology Institute

Department of Biotechnology, Government of India
C-127, Industrial Area, Phase VIII, S.A.S. Nagar,
Mohali-160071 Punjab, INDIA

Ph: 0172-4604888/2290109

Fax: 0172-4011916

Support Structure: ACP, MS frame 50 mm X 50 mm

Modified Terms and conditions:

The tenderer should quote for all the items and strictly as per the specifications, otherwise it will be rejected without any further information.

NABI will not accept the quotations sent by E-mail/FAX.

The financial bid should contain the price of the individual item and the terms and conditions of the payment accordingly.

The tenderer should give assurance in the letter head that the installation of the item in the SI No 1 will be done before 17th November 2010 which should be attached in the bid.

The tenderer should agree to maintain the above signages for up to one year without any additional cost. Please quote the cost for AMC after the completion of warranty period.

The bid winner have to process the order after the confirmation of design given by NABI.

Yours faithfully,

-sd-

(S. Krishnan)

Stores and Purchase Officer